



Elite Components Cross Reference

Competitor	Minerallac	Description
3800-0050EG	K0B	1/2" EMT Or 3/8 To 1/2" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
3800-0075EG	K1B	3/4" EMT Or 3/4" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
3800-0100EG	K2B	1" EMT Or 1" Rigid/RMC, Conduit Hanger With Bolt, Keyholed - No Nut Required, Pre-Galvanized
3800-0125EG	3B	1-1/2" EMT Conduit Hanger With Bolt & Nut, 1-1/2" EMT Or 1-1/4" Rigid/RMC, Zinc Plated
3800-0150EG	4B	1-1/2"RMC Conduit Hanger With Bolt and Nut, 1-1/2" Rigid/RMC, Zinc Plated
3800-0200EG	5B	2" Conduit Hanger With Bolt and Nut, 2" EMT Or 2" Rigid/RMC, Zinc Plated
3800-0250EG	6B	2-1/2"Conduit Hanger With Bolt & Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Zinc Plated
3800-0300EG	6B	2-1/2"Conduit Hanger With Bolt & Nut, 2-1/2" EMT Or 2-1/2" Rigid/RMC, Zinc Plated
3800-0350EG	7B	3"Conduit Hanger With Bolt and Nut, 3" EMT Or 3" Rigid/RMC, Zinc Plated
3800-0400EG	9B	4"Conduit Hanger With Bolt and Nut, 4" EMT Or 4" Rigid/RMC, Zinc Plated
BC1-0037P	702	3/8-16 Beam Clamp (Malleable Iron), Up To 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
BC17-3373EG	BCSU325EG	Beam Clamp to Strut With Ubolt For 27/16" and 3-1/4" Channel, Zinc Plated
BC17A-503EG	BCSU325EG	Beam Clamp to Strut With Ubolt For 27/16" and 3-1/4" Channel, Zinc Plated
BC17A-503EG	BCSU325EG	Beam Clamp to Strut With Ubolt For 27/16" and 3-1/4" Channel, Zinc Plated
BC1SP-0037P	602B	3/8"Beam Clamp, Up to 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
BC2-0037EG	BCUM37EG	Beam Clamp Universal Malleable Iron 5/8" Flange 3/8" Rod, Zinc Plated
BC2-0050EG	BCUM50EG	Beam Clamp Universal Malleable Iron 5/8" Flange 1/2" Rod, Zinc Plated
BC4-0025EG	700	1/4" Beam Clamp (Malleable Iron), Up to 5/8" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
BC4-0025EG	700	1/4" Beam Clamp (Malleable Iron), Up to 5/8" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
BC4-0037EG	702	3/8-16 Beam Clamp (Malleable Iron), Up To 3/4" Flange, 3/8"-16 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron
BC4-0050EG	703	1/2-13 Beam Clamp (Malleable Iron), Up to 7/8" Flange, 1/2"-13 Tapped Holes Bottom and Back Of Beam Clamp, Malleable Iron





Elite Components Cross Reference

Competitor	Minerallac	Description
BC5-0025EG	600	1/4"Beam Clamp , Up to 1/2" Flange, 1/4"-20 Tapped Holes Bottom and Back Of Beam Clamp, Zinc Plated
BC5-0037EG	BCUM37EG	Beam Clamp Universal Malleable Iron 5/8" Flange 3/8" Rod, Zinc Plated
E122	PH	Hammer On Z Purlin Hanger, Z Purlin 13 To 16 Gauge, 1/4" Vertical Mounting Hole, Spring Steel
E1224TI	PH14T	Hammer On Z Purlin Hanger And 1/4"-20 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Rod Hanger With 1/4"-20 Thread Impression, Spring Steel
E1226TI	PH38T	Hammer On Z Purlin Hanger And 3/8"-16 Threaded Rod Hanger Assembly, Z Purlin 13 To 16 Gauge, Rod Hanger With 3/8"-16 Thread Impression, Spring Steel
E123812M	PKC1234	Hammer On Z Purlin Hanger And Closed Conduit Clip Assembly, Z Purlin 13 To 16 Gauge, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
E12P	HIC75	Push In Conduit Clip, 3/4" EMT and 1/2" Rigid/RMC, 1/4" Mounting Hole, Spring Steel
E12P12P	HIC7575	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips Fit 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
E12P16P	HIC75100	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips HIC75 Fit 3/4" EMT and 1/2" Rigid/RMC & HIC100 Fit 1" EMT and 3/4" Rigid/RMC, SP
E12P24	BC1875	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
E12P24SM	SFC1875	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
E12P58	BC51675	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
E12P58SM	SFC51675	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
E12P912	BC91675	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 3/4" EMT and 1/2" Rigid/IMC, Spring Steel
E12P912SM	SFC91675	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
E1616M	KC1KC1	1" Conduit Closed Clip(X2), Spring Steel
E1620M	KC114KC1	1" To 1-1/4" Conduit Closed Clip, Spring Steel
E1624M	KC112KC1	1" To 1-1/2" Conduit Closed Clip, Spring Steel
E1632M	KC2KC1	1" To 2" Conduit Closed Clip, Spring Steel
E166M	KC38KC1	3/8" Flexible Conduit and Kc1 Conduit Clip 1" Conduit,Conduit To Conduit Trapeze Assembly, Spring Steel
E16812M	KC1234KC1	1/2" To 1" Conduit Closed Clip, Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
E16M	KC1	1" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Spring Steel
E16M24	BC18KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
E16M24SM	SFC18KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" Conduit, Spring Steel
E16M58	BC516KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1" Conduit, Spring Steel
E16M58SM	SFC516KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1" Conduit, Spring Steel
E16M912	BC916KC1	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1" Conduit, Spring Steel
E16M912SM	SFC916KC1	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1" Conduit, Spring Steel
E16MB18	CBS18KC1APS	1"Conduit Clamp With Multi Function Clip, Spring Steel
E16MB18A	CBS18KC1	1" Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
E16MF	SBKC1	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Closed Conduit Clip 1" Conduit, Spring Steel
E16P	HIC100	Push In Conduit Clip, 1" EMT and 3/4" Rigid/RMC, 1/4" Mounting Hole, Spring Steel
E16P16P	HIC100100	Back To Back Push In Conduit Clip, 1" EMT and 3/4" Rigid/RMC, Spring Steel
E16P24	BC18100	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
E16P24SM	SFC18100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
E16P58	BC516100	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
E16P58SM	SFC516100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
E16P912	BC916100	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 1" EMT and 3/4" Rigid/IMC, Spring Steel
E16P912SM	SFC916100	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1" EMT and 3/4" Rigid/RMC, Spring Steel
E20M	KC114	1-1/4" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Squeeze Closed To Engage Locking Tab, Spring Steel
E20M24	BC18KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
E20M24SM	SFC18KC114	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
E20M58	BC516KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
E20M58SM	SFC516KC114	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
E20M912	BC916KC114	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1-1/4" Conduit, Spring Steel
E20M912SM	SFC916KC114	Side Mount Flange Clamp with Closed Conduit Clip, Hammer On Clamp Fits 9/16 to 3/4" Flange, Conduit Clip Fits 1-1/4" Conduit, Spring Steel
E24M	KC112	1-1/2" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Spring Steel
E24M24	BC18KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
E24M24SM	SFC18KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
E24M58	BC516KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
E24M58SM	SFC516KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
E24M912	BC916KC112	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
E24M912SM	SFC916KC112	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1-1/2" Conduit, Spring Steel
E2BRT12	634R	1" Diameter Bridle Ring, #10-24 Thread, Zinc Plated
E2H4	SFC332	Side Mount Flange Clamp, 3/32" to 9/64" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel, Black
E32M	KC2	2" Conduit, Closed Conduit Clip, 1/4" Mounting Hole, Squeeze Closed To Engage Locking Tab, Spring Steel
E32M24	BC18KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 2" Conduit, Spring Steel
E32M24SM	SFC18KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 2" Conduit, Spring Steel
E32M58	BC516KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 2" Conduit, Spring Steel
E32M58SM	SFC516KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 2" Conduit, Spring Steel
E32M912	BC916KC2	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 2" Conduit, Spring Steel
E32M912SM	SFC916KC2	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 2" Conduit, Spring Steel
E350	SS	Electrical Box To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
E350812M	SSKC1234	Conduit To Stud Fastener, Screw On Stud Support With 5/32" (#8 Screw) Mounting Holes (3), Closed Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
E449	BXC	Flexible Conduit/Cable Metal Stud Clip, Push Clip Attaches Mc, Ac Or Bx To Open Edge Of Metal Stud, Spring Steel
E4BRT20	646R	1-1/2" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
E4BRT20WS	646RW	1-1/2" Diameter Bridle Ring For Wood, 1/4" Lag Thread, Zinc Plated
E4BRT32	648R	2" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
E4BRT32WS	648RW	2" Diameter Bridle Ring For Wood, 1/4" Lag Thread, Zinc Plated
E4BRT64	654R	4" Diameter Bridle Ring, 1/4"-20 Thread, Zinc Plated
E4G16	SCT3	Twist On T-Bar Hanger, 1" T-Bar, 1/4"-20 x 5/8" Stud With Wing Nut Washer, Spring Steel
E4H24	SFC18	Side Mount Flange Clamp, 1/8 to 1/4" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
E4H58	SFC516	Side Mount Flange Clamp, 5/16 to 1/2" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
E4H912	SFC916	Side Mount Flange Clamp, 9/16 to 3/4" Flange, Hammer On, 1/4" Mounting Hole, Spring Steel
E4TI	R14T	1/4"-20 Threaded Rod Hanger, 1/4"-20 Thread Impression, Spring Steel
E4TI24	R1814T	Rod To Beam Assembly, 1/8 To 1/4" Flange and 1/4" Threaded Rod, Spring Steel
E4TI58	R51614T	Rod To Beam Assembly, 5/16 To 1/2" Flange and 1/4" Threaded Rod, Spring Steel
E4TI912	R91614T	Rod To Beam Assembly, 9/16 To 3/4" Flange and 1/4" Threaded Rod, Spring Steel
E4TIB	RA14T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 1/4" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
E4WN	14WNW	1/4"-20 Wing Nut Washer, Zinc Plated
E4Z34	APS	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, #10-24 & 1/4"-20 Thread Impressions, Spring Steel
E4Z3412P	APS75	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Spring Steel
E4Z3416M	APSKC1	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1" Conduit, Spring Steel
E4Z3416P	APS100	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Conduit Clip 1" EMT & 3/4" Rigid/RMC, Multi-Function Clip, Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
E4Z34812M	APSKC1234	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1/2" & 3/4" Conduit, Spring Steel
E4Z348P	APS50	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip Conduit Clip 1/2" EMT, Spring Steel
E4Z4S	APS	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, #10-24 & 1/4"-20 Thread Impressions, Spring Steel
E512	TBAR	24" Electrical Box To T-Bar Assembly, Dual Height 3/4" For Flush Or Offset Mount, Includes Box Mounting Clip and Screw, Pre-Galvanized/Spring Steel
E512HD	TBARHD	Hd Box Bracket For 24 In. T-Bar Grid, For Use With 1-1/2 In. Or 2-1/8 In. Electrical Box, Spring Steel.
E512HDXT	TBARHDXT	3-5/8" Extension For Hd T-Bar Box Bracket (TBARHD), Provides 3-5/8 In. Spacing For 2-1/8 In. Box With 1-1/2 In. Extension Ring, PG
E515A	FT	T-Bar Clip, Positive Support For Troffers And Lay-In Fixtures, Round And Rectangular T-Bar, Spring Steel
E6A24	R1838	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 1/8 To 1/4" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
E6A58	R51638	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 5/16 To 1/2" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
E6A912	R91638	Rod/Wire To Beam Assembly, Side Mount Flange Clamp 9/16 To 3/4" Flange, Rod/Wire Hanger Suspends 3/8" Plain Rod, Spring Steel
E6M	KC38	3/8" Flexible Conduit, 1/4" Mounting Hole, Closed Conduit Clip, Squeeze Closed To Engage Locking Tab, Spring Steel
E6M24	BC18KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
E6M24SM	SFC18KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
E6M4I	KC38T	Kombo Clip Threaded
E6M58	BC516KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
E6M58SM	SFC516KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
E6M912	BC916KC38	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
E6M912SM	SFC916KC38	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 3/8" Flexible Conduit, Spring Steel
E6MATA	TBKC38	Right Angle (Top Mount) T-Bar Clip With Closed Conduit Clip For 3/8" Flexible Conduit, Spring Steel
E6MB18	CBS18KC38APS	3/8" Metal And Aluminum Clad Cable And Conduit With Multifunction Clip, Spring Steel
E6MB18A	CBS18KC38	3/8" Flexible Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
E6P	HIC50	Push In Conduit Clip, 1/2" EMT, 1/4" Mounting Hole, Spring Steel
E6T	R1438N	1/4 Or 3/8" Threaded Rod Hanger, Nut Required, Spring Steel
E6TA24	R181438N	Suspends 1/4" And 3/8" Threaded Rod From Overhead Mountings With A Clearance Hole For 1/4" Bolt. Flange Thickness: 1/8"-1/4"
E6TA58	R5161438N	Suspends 1/4" or 3/8" Threaded Rod. Nut Required. Flange Thickness: 5/16"-1/2" Spring Steel
E6TA912	R9161438N	Suspends 1/4" or 3/8" Threaded Rod. Nut Required. Flange Thickness: 9/16"-3/4" Spring Steel
E6TI	R38T	3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, Spring Steel
E6TI24	R1838T	Rod To Beam Assembly, 1/8 To 1/4" Flange and 3/8" Threaded Rod, Spring Steel
E6TI58	R51638T	Rod To Beam Assembly, 5/16 To 1/2" Flange and 3/8" Threaded Rod, Spring Steel
E6TI912	R91638T	Rod To Beam Assembly, 9/16 To 3/4" Flange and 3/8" Threaded Rod, Spring Steel
E6TIB	RA38T	Angle Bracket With Rod Hanger, 1/4" Fastening Hole On Bracket, Suspends 3/8" Threaded Rod (With Thread Impression), Pre-Galvanized/Spring Steel
E6Z34	APS	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, #10-24 & 1/4"-20 Thread Impressions, Spring Steel
E6Z34812M	APSKC1234	1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, Multi-Function Clip, Conduit Clip 1/2" & 3/4" Conduit, Spring Steel
E740	M740	Hammer On - Pipe Sleeve Positioner, Fits Schedule #40, #80 and smaller wall thickness, Sleeve Diameter 4-6in., Spring Steel
E766A	DLS1	Plastic Far Side Electrical Box Support, Mounts To Back Of 1-1/2 Or 2-1/8" Boxes, Designed For 3-5/8 " Metal Studs, Black
E766PM	DLS1	Plastic Far Side Electrical Box Support, Mounts To Back Of 1-1/2 Or 2-1/8" Boxes, Designed For 3-5/8 " Metal Studs, Black
E766PMD	DLS1	Plastic Far Side Electrical Box Support, Mounts To Back Of 1-1/2 Or 2-1/8" Boxes, Designed For 3-5/8 " Metal Studs, Black
E771	70020J	1-1/4" S-Hooks, Zinc Plated
E781	ARS	Anti-Rattle Support, Spring Steel
E812M	KC1234	1/2" and 3/4" Conduit, 1/4" Mounting Hole, Closed Conduit Clip, , Spring Steel
E812M24	BC18KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
E812M24SM	SFC18KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
E812M4I	KC1234T	1/2" and 3/4" Conduit, Closed Conduit Clip With 1/4"-20 Thread Impression, Squeeze Closed To Engage Locking Tab, Spring Steel
E812M58	BC516KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
E812M58SM	SFC516KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
E812M912	BC916KC1234	Hammer On Beam Clamp And Closed Conduit Clip Assembly, Beam Clamp 9/16-3/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
E812M912SM	SFC916KC1234	Side Mount Flange Clamp With Closed Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
E812MATA	TBKC1234	Right Angle (Top Mount) T-Bar Clip With Closed Conduit Clip For 1/2 and 3/4" Conduit, Spring Steel
E812MB18	CBS18KC1234A PS	1/2 And 3/4 EMT With Multifunction Clip, Spring Steel
E812MB1824	CBS18KC12341 8	1/2" and 3/4" Conduit, Beam Clamp 1/8-1/4" Flange, 18" Bar Support, Spring Steel
E812MB186	CBS18KC1234A PS	1/2 And 3/4 EMT With Multifunction Clip, Spring Steel
E812MB18A	CBS18KC1234	1/2" and 3/4" Conduit, 18" Bar Support With 1/4" Star Hole and Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
E812MB18S	CBS18KC1234S T	1/2" and 3/4" Conduit, 1/4"-20 x 1/2" Stud, 18" Bar Support With Two Mounting Holes For #6 Sms Or Tek Screw, Pre-Galvanized/Spring Steel
E812MF	SBKC1234	Conduit To Metal Stud Fastener, Hammer On Stud Clip, Closed Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
E8P	HIC50	Push In Conduit Clip, 1/2" EMT, 1/4" Mounting Hole, Spring Steel
E8P12P	HIC5075	Conduit To Conduit Trapeze Assembly, Hi50 Conduit Clip 1/2" EMT and Hi75 Conduit Clip 3/4" EMT and 1/2" Rigid/RMC, Spring Steel
E8P16P	HIC50100	Back To Back Push In Conduit Clip, HIC50 Fits 1/2" EMT, Push In Conduit Clip, HIC100 Fits 1" EMT and 3/4" Rigid/IMC, Spring Steel
E8P24	BC1850	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 1/8-1/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
E8P24SM	SFC1850	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 1/8 To 1/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
E8P58	BC51650	Hammer On Beam Clamp And Push In Conduit Clip Assembly, Beam Clamp 5/16-1/2" Flange, Conduit Clip 1/2" EMT, Spring Steel
E8P58SM	SFC51650	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 5/16 To 1/2" Flange, Conduit Clip 1/2" EMT, Spring Steel
E8P8P	HIC5050	Conduit To Conduit Trapeze Assembly, Both Push In Conduit Clips Fit 1/2" EMT, Spring Steel
E8P912	BC91650	Hammer On Beam Clamp and Push In Conduit Clip Assembly, Beam Clamp Fits 9/16-3/4" Flange, Conduit Clip Fits 1/2" EMT, Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
E8P912SM	SFC91650	Side Mount Flange Clamp With Push In Conduit Clip, Hammer On Clamp 9/16 To 3/4" Flange, Conduit Clip 1/2" EMT, Spring Steel
E8PATS	TS50	T-Bar Clip (Side Mount) With Push In Conduit Clip For 1/2" EMT, Spring Steel
EAB	BA	Right Angle Bracket, 1/4" Mounting Holes, Pre-Galvanized
EA14	ABC25	1/16-1/4" Flange (Z Purlin 13 to 16 Gauge), 1/4" Mounting Hole, Spring Steel
EA144TI	ABC25R14T	1/4 Rod Hangr , 1/16-1/4 Z Purln Clip Hammer On, Spring Steel
EA146T	ABC25R1438N	1/16-1/4" Flange (Purlin 13 To 16 Gauge) With 1/4 Or 3/8" Threaded Rod Hanger, Hammer On Nut Required, Spring Steel load Rating: 160Lbs
EA146TI	ABC25R38T	Hammer On Z Purlin Hanger (Angled), Fits 1/16-1/4" Flange, 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, Spring Steel
EATA4I	TBT	Right Angle (Top Mount) T-Bar Clip With 1/4"-20 Thread Impression, Spring Steel
EATS4I	TST	T-Bar Clip (Side Mount) with 1/4"-20 Thread Impression, SP
EBAR-1624	FBST1624	Telescoping 1-1/2" Octagon Elec. Box Mounting Bracket, Stud Spacing 15-1/2 to 26 in.,
EBC	500	Beam Clamp Up to 1/2" Flange, Pass Hole For 1/4" And 3/8" Threaded Rod, 1/4"-20 Bottom and Back, #10-24 Back, Spring Steel
EBC12P	50075	Beam Clamp And Push In Conduit Clip (Bottom Mount) , Beam Clamp Up To 1/2" Flange & Conduit Clip 3/4" EMT & 1/2" Rigid/RMC, Sp
EBC16M	500KC1	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1" Conduit, Spring Steel
EBC16MSM	500KC1B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1" Conduit, Spring Steel
EBC20M	500KC114	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/4" Conduit, Spring Steel
EBC20MSM	500KC114B	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/4" Conduit, Spring Steel
EBC24M	500KC112	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/2" Conduit, Spring Steel
EBC24MSM	500KC112B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1-1/2" Conduit, Spring Steel
EBC32M	500KC2	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 2" Conduit, Spring Steel
EBC32MSM	500KC2B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 2" Conduit, Spring Steel
EBC812M	500KC1234	Beam Clamp And Closed Conduit Clip (Bottom Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" and 3/4" Conduit, Spring St





Elite Components Cross Reference

Competitor	Minerallac	Description
EBC812MSM	500KC1234B	Beam Clamp And Closed Conduit Clip (Back Mount) , Beam Clamp Up to 1/2" Flange and Conduit Clip 1/2" and 3/4" Conduit, Spring Steel
EBHC	BBC	Electrical Box To Bar Mounting Clip, Use With Bar, Rbar & Tbar, Includes 1/4-20 X 3/8" Screw, Spring Steel
EC23	FBO23HD	Heavy Duty Electrical Box Mounting Bracket, For 2-1/2 and 3-1/2" Wood Or Metal Studs, 4" Or 4-11/16" Electrical Box, Pre-Galvanized
EC3116Z34	EDWCAPS	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 to #8, Spring Steel
EC4	FBO234	Electrical Box Mounting Bracket, Box Support For 2-1/2, 3-1/2 and 4" Wood Or Metal Studs, Pre-Galvanized
EC6	FBO6	Electrical Box Mounting Bracket, Box Support For 6" Wood Or Metal Studs, Pre-Galvanized
ECAT12	J75	3/4" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
ECAT1224	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
ECAT124Z34	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
ECAT126Z34	J75APS	3/4 J-Hook W/MultiFnctn Clp SP
ECAT12AF14	J75ABC	3/4 J-Hook W/ 1/4 Purlin, Spring Steel
ECAT12BC	J75500	3/4 J-Hook W/Beam Clamp, Spring Steel
ECAT12BCB	J75B500	3/4 J-Hook W/Beam Clamp, Spring Steel
ECAT21	J131	1-5/16" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
ECAT21	J131	1-5/16" J-Hook, 1/4" Mounting Hole, Includes Steel Retaining Pin, Pre-Galvanized
ECAT2124	J131BBC18	1-5/16" J-Hook, Right Angle Bracket and Hammer On Beam Clamp Assembly, Beam Clamp Fits 1/8-1/4" Flange & Rotates 360° degrees, Includes Steel Retaini
ECAT214Z34	J131APS	1-5/16 J-Hook W/Multi-Function Clip
ECAT216Z34	J131APS	1-5/16 J-Hook W/Multi-Function Clip
ECAT21AF14	J131ABC	1-5/16 J-Hook W/1/4 Purlin Spring Steel
ECAT21BC	J131500	1-5/16 J-Hook W/Beam Clamp Spring Steel
ECAT21BCB	J131B500	1-5/16 J-Hook W/Beam Clamp Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
ECAT32	J200	2" J-Hook, 1/4" Mounting Hole, Includes Plastic Wire Retaining Clip, PG
ECAT3224	J200BBC18	2" J-Hook, Right Angle Bracket And Hammer On Beam Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
ECAT3224SM	J200SFC18	2" J-Hook And Hammer On Side Mount Flange Clamp 1/8-1/4" Flange, W/ Plastic Wire Retaining Clip, PG/SP
ECAT324Z34	J200APS	2" J-Hook, Multi-Function Clip 1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, W/ Plastic Wire Retaining Clip, PG/Sp
ECAT326Z34	J200APS	2" J-Hook, Multi-Function Clip 1/8-3/8" Flange & #12 Wire Thru 3/8" Rod, W/ Plastic Wire Retaining Clip, PG/Sp
ECAT32AB	J200B	2" J-Hook, 1/4" Mounting Hole, W/ Plastic Wire Retaining Clip, PG
ECAT32BC	J200500	2" J-Hook, Beam Clamp , Beam Clamp Up To 1/2" Flange, Includes Plastic Wire Retaining Clip, PG/Spring Steel
ECAT32BCB	J200B500	2" J-Hook, Right Angle Bracket, Beam Clamp Up To 1/2" Flange, W/ Plastic Wire Retaining Clip, PG/Spring Steel
ECAT64	J400	4" J-Hook Cable Support Pre-Galvanized
ECAT64BC	J400500	4 J-Hook W/Beam Clamp Spring Steel
ECAT64BCB	J400B500	4 J-Hook W/Beam Clamp Spring Steel
ECHB	BBC	Electrical Box To Bar Mounting Clip, Use With Bar, Rbar & Tbar, Includes 1/4-20 X 3/8" Screw, Spring Steel
ECJ6	FCWS6	Stud Wall Multiple Flex Conduit & Wire Support; Screw-On Wood Or Metal Studs, Provides 1-1/4" Minimum Clearance
ECS16	CS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
ECS812	CS1234	1/2-3/4" EMT & Mc/Ac Cable Support For 1-1/2" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, SP
ECS812D	CS1234D	1/2-3/4" EMT & Mc/Ac Cable Support For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, SP
EDSI2A	BST	Box Mount, Box Supported By Drywall, Break- Apart Design, Screwless, Pre-Galvanized
EEC311	EDWC	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 To #8, Spring Steel, Yellow
EEC3114Z34	EDWCAPS	Electrical Drop Wire/Rod Securing Clip, Wire Size: #13 to #8, Spring Steel
EESG1	G100	Universal Stud Grommet For Metal Studs, Plastic, Yellow
EFB812M	BAKC1234	Right Angle Bracket Assembly And Closed Conduit Clip Assembly, 1/4" Mounting Hole, Conduit Clip 1/2" & 3/4" Conduit, Pre-Galvanized/Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
EFXC20	SBX	Flexible Conduit/Cable Metal Stud Clip, Hammer On Clip (To 2" Side Of Stud) Attaches Mc Or Bx (12-2 Thru 10-3) To Metal Stud, Spring Steel
EH23	FBO23HD	Heavy Duty Electrical Box Mounting Bracket, For 2-1/2 and 3-1/2" Wood Or Metal Studs, 4" Or 4-11/16" Electrical Box, Pre-Galvanized
EH4	FBO234	Electrical Box Mounting Bracket, Box Support For 2-1/2, 3-1/2 and 4" Wood Or Metal Studs, Pre-Galvanized
EH6	FBO6	Electrical Box Mounting Bracket, Box Support For 6" Wood Or Metal Studs, Pre-Galvanized
EIDS	DWC1	1" T-Bar Drop Wire Clip, 1/4"-20 x 5/8" Stud With Wing Nut Washer, Pre-Galvanized
EJ1A35	SBS3.5	Far Side Box Stabilizer For 3-1/2" Studs, Pre-Galvanized/Spring Steel
EK12	FS2	Fast Support Clip For Wire, 3/4" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 1/2" EMT To 5/16" Thru 1/2" Flange, Spring Steel
EK16	FS3	Fast Support Conduit Clip, 1" EMT To #8 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 3/4" EMT To 5/16" Thru 1/2" Flange, Spring Steel
EK20	FS4	Fast Support Conduit Clip, 1-1/4" EMT To #8 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, 1" EMT To 5/16" Thru 1/2" Flange, Spring Steel
EK8	FS1	Fast Support Conduit Clip For Wire, Rod Or Flange, 1/2" EMT To #10 Wire Thru 1/4" Rod Or 1/8 Thru 1/4" Flange, Spring Steel
EKX	FSBX	Fast Support Flexible Conduit Clip For Wire, 14-2, 14-3 & 12-2 Cable To #12-#8 Wire, 12-3 Cable To #12 Wire, Spring Steel
ELFC	70000	10 Gauge Side Mount V-Hooks, Fluorescent Fixture Hangers, Zinc Plated
ELFC90	70002	10 Gauge End Mount V-Hooks, Fluorescent Fixture Hangers, Zinc Plated
EM24	BC18	Hammer On Beam Clamp, 1/8-1/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
EM24S	BC18ST	Hammer On Beam Clamp With 1/4"-20 x 3/8" Stud, 1/8-1/4" Flange, 1/4"-20 Thread Impression On Bottom & Back Of Clamp, Spring Steel
EM58	BC516	Hammer On Beam Clamp, 5/16-1/2" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
EM58S	BC516ST	Hammer On Beam Clamp With 1/4"-20 and 3/8" Stud, 5/16-1/2" Flange, 1/4"-20 Thread Impression On Bottom & Back Of Clamp, Spring Steel
EM912	BC916	Hammer On Beam Clamp, 9/16-3/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
EM912S	BC916ST	Hammer On Beam Clamp With 1/4"-20 x 3/8" Stud, 9/16-3/4" Flange, 1/4"-20 Thread Impression On Bottom and Back Of Clamp, Spring Steel
EMAC2	MCAC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
EMAC224	BC18MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel





Elite Components Cross Reference

Competitor	Minerallac	Description
EMAC224SM	SFC18MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
EMAC24Z34	APSMC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Multi-Function Clip, Fits 1/8-3/8" Flange and #12 Wire thru 3/8" Rod, Spring Steel
EMAC258	BC516MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
EMAC258SM	SFC516MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
EMAC26Z34	APSMC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Multi-Function Clip, Fits 1/8-3/8" Flange and #12 Wire thru 3/8" Rod, Spring Steel
EMAC2912	BC916MC2	14-2 thru 10-3 MC/AC Support Clip, Double Run, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
EMAC2912SM	SFC916MC2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
EMCS100	MCACS100	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
EMCS10024	BC18MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 1/8-1/4" Flange, Spring Steel
EMCS10058	BC516MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 5/16-1/2" Flange, Spring Steel
EMCS100912	BC916MCS100	14-3 thru 10-2 (0.430 - 0.560" O.D.) MC/AC Support Bracket, Fits Up to 8 Cables, with Hammer On Beam Clamp, Fits 9/16-3/4" Flange, Spring Steel
EMCS101	MCACS101	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
EMCS50	MCACS50	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
EMEB1	FBO23DS	Double Sided Electrical Box Mounting Bracket, Mounts To Either Side Of 2-1/2 & 3-1/2" Wood Or Metal Studs, 4" Or 4-11/16" Electrical Box, PG
EMP1	WBF1	Low Voltage Mounting Bracket, Mounts Standard Low Voltage Wall Plates Without Electrical Box, Includes 1-5/8" Screws, Pre-Galvanized
EMP1P	WBF1P	Non-Metallic Single Gang Low Voltage Mounting Bracket, Mounts Standard Low Voltage (Class 2) Wall Plates without Electrical Box, Plastic
EMP1S	WB1S	Single Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, New Construction, Pre-Galva
EMP2	WB2	Double Gang Low Voltage Mounting Bracket (Class 2 wiring), Mounts Standard Low Voltage Wall Plates without Electrical Box, Pre-Galvanized
EMPAL2	WBF2P	Non-Metallic Double Gang Low Voltage Mounting Bracket, Mounts Standard Low Voltage (Class 2) Wall Plates without Electrical Box, Plastic
EMPLS	WBF1	Low Voltage Mounting Bracket, Mounts Standard Low Voltage Wall Plates Without Electrical Box, Includes 1-5/8" Screws, Pre-Galvanized
EMPLS2	WBF2	Double Gang Low Voltage Mounting Bracket, Mounts Standard Low Voltage Wall Plates without Electrical Box, Includes 1-5/8" Dry Wall Screws, Pre-Galv





Elite Components Cross Reference

Competitor	Minerallac	Description
EMSF	S1900	Electrical Box To Metal Stud Support, Hammer On, Spring Steel
EMSR122	PSF916	Side Mount Flange Clamp With Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
EMSR24	PSF18R	Side Mount Flange Clamp With Right Angle Strap Hanger, 1/8 To 1/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
EMSR58	PSF516R	Side Mount Flange Clamp With Right Angle Strap Hanger, 5/16 To 1/2" Flange, Suspends Strap Up To 1" Wide, Spring Steel
EMSR912	PSF916R	Side Mount Flange Clamp With Right Angle Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
EMSS122	PHPS	Hammer On Z Purlin Hanger And Right Angle Strap Hanger Assembly, Z Purlin 13 To 16 Gauge, Strap Hanger Up To 1" Strap, Spring Steel
EMSS24	PSF18	Side Mount Flange Clamp With Strap Hanger, 1/8 To 1/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
EMSS58	PSF516	Side Mount Flange Clamp With Strap Hanger, 5/16 To 1/2" Flange, Suspends Strap Up To 1" Wide, Spring Steel
EMSS912	PSF916	Side Mount Flange Clamp With Strap Hanger, 9/16 To 3/4" Flange, Suspends Strap Up To 1" Wide, Spring Steel
EMT-0050EG	CCE050EG	Conduit Strut Clamp EMT 1/2, Zinc Plated
EMT-0075EG	CCE075EG	Conduit Strut Clamp EMT 3/4, Zinc Plated
EMT-0100EG	CCR100EG	Conduit Strut Clamp Rigid 1
EMT-0125EG	CCE125EG	Conduit Strut Clamp EMT 1-1/4, Zinc Plated
EMT-0150EG	CCE150EG	Conduit Strut Clamp EMT 1-1/2, Zinc Plated
EMT-0200EG	CCE200EG	Conduit Strut Clamp EMT 2, Zinc Plated
EPCS1	DWCS1	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
EPCS2	DWCS2	1" EMT For 2-1/8" Deep Electrical Box, Screw On To Wood Or Metal Studs, Aligns Conduit To Standard Box Knockouts, Spring Steel, Black
ERBS16	BMB164S3P	16 In. Multi Box Mounting Bracket (Between Studs), Mounts Up To Three 4" Or 4-11/16" Electrical Boxes, PG
ERBS24	BMB244S4P	Electrical Box Mounting Bracket, 24 In. Bracket, Mounts Up To Four 4 In. Or 4 11/16 In. Boxes/Plaster Rings, PG
ERLC	OR	Outlet Retainer, Retains Standard Outlets In Oversize Openings, Pre-Galvanized
ESC2A	F2A	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .218 - .281", Spring Steel, Zinc Plated





Elite Components Cross Reference

Competitor	Minerallac	Description
ESC2C	F2C	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .375 - .437", Spring Steel, Zinc Plated
ESC2D	F2D	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. .468 - .562", Spring Steel, Zinc Plated
ESC2E	F2E	Flange Clip For Cable Support, Flange 1/16 - 3/16" Thick, Ac/Mc Cable O.D. O.D. .500 - .718", Spring Steel, Zinc Plated
ESC4B	F4B	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .312 - 0.375", Spring Steel, Zinc Plated
ESC4C	F4C	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .375 - 0.437", Spring Steel, Zinc Plated
ESC4D	F4D	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .468 - 0.562", Spring Steel, Zinc Plated
ESC4E	F4E	Flange Clip For Cable Support, Flange 3/16 - 9/32" Thick, Ac/Mc Cable O.D. .500 - 0.718", Spring Steel, Zinc Plated
ESC8D	F8D	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .468 - 0.562", Spring Steel, Zinc Plated
ESC8E	F8E	Flange Clip For Cable Support, Flange 5/16 - 1/2" Thick, Ac/Mc Cable O.D. .500 - 0.718", Spring Steel, Zinc Plated
ESMS8	26809-6	8 x 1/2" Lath Tek Screws (K-Lath), Wafer Head, Phillips, Zinc Plated 1000/JAR
ETSRBS1625	BMBT16244SL	Telescoping Box Slider Wall Mounting Bracket for Wood or Metal Studs 16-24" on Center, Allows 4" or 4-11/16" Electrical Box to Slide into Position bet
EVF14	VBC25	Hammer On Vertical Flange Hanger, 1/16-1/4" Flange (C Purlin 13 to 16 Gauge), 1/4" Mounting Hole, Spring Steel
EVF144TI	VBC25R14T	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 1/4"-20 Threaded Rod Hanger, 1/4"-20 Thread Impression, load Rating: 160Lbs, Spring Steel
EVF146T	VBC25R1438N	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 1/4 Or 3/8" Threaded Rod Hanger, Nut Required, load Rating: 160Lbs, Spring Steel
EVF146TI	VBC25R38T	1/16-1/4" Flange (C Purlin 13 To 16 Gauge) With 3/8"-16 Threaded Rod Hanger, 3/8"-16 Thread Impression, load Rating: 160Lbs Spring Steel
EWMX6	WBX6	Flexible Conduit and Cable Hanger, 1-3/4" Diameter, Up to 6 runs of MC/AC Cable, Zinc Plated
F13-0025EG	SW025EG	Square Washer 1/4, Zinc Plated
F13-025EG	SW025EG	Square Washer 1/4, Zinc Plated
F14-0037EG	SW037EG	3/8" Square Washer, Zinc Plated
F15-0050EG	SW050EG	Square Washer 1/2, Zinc Plated
F20-57162EG	SP3HEG	3 Hole Splice Plate, Zinc Plated





Elite Components Cross Reference

Competitor	Minerallac	Description
F23-725162	SP4HEG	4 Hole Splice Plate, Zinc Plated
F23-725162EG	SP4HEG	4 Hole Splice Plate, Zinc Plated
F25	TP4HEG	4 Hole Tee Plate, Zinc Plated
F25-537350	TP4HEG	4 Hole Tee Plate, Zinc Plated
F25-537350EG	TP4HEG	4 Hole Tee Plate, Zinc Plated
F36-350350EG	CP3HEG	3 Hole Corner Plate, Zinc Plated
F37-350537	CGP3HEG	3 Hole Corner Gusset Plate, Zinc Plated
F37-350537EG	CGP3HEG	3 Hole Corner Gusset Plate, Zinc Plated
L10-225162EG	CA2HEG	2 Hole Corner Angle, Zinc Plated
L11-200187	CA2HEG	2 Hole Corner Angle, Zinc Plated
L11-200187EG	CA2HEG	2 Hole Corner Angle, Zinc Plated
L19-387187EG	CA3HEG	3 Hole Corner Angle
L22-412350	CA4H3WEG	4 Hole 3 Way Corner Angle, Zinc Plated
L22-412350EG	CA4H3WEG	4 Hole 3 Way Corner Angle, Zinc Plated
L46-350250EG	CAC2H45EG	2 Hole Closed 45 Degree Corner Angle, Zinc Plated
L47-327225EG	CAC2H45EG	2 Hole Closed 45 Degree Corner Angle, Zinc Plated
NUTCN-0025EG	SNL025EG	Long Spring Nut 1/4"-20, ZP
NUTCN-0037EG	CNC037EG	Channel Cone Nut 3/8-16 (3/8 THK)
NUTLS-0025EG	SNL025EG	Long Spring Nut 1/4"-20, ZP
NUTLS-0037EG	SNL037EG	Long Spring Nut 3/8"-16, ZP
NUTLS-0050EG	SNL050EG	Long Spring Nut 1/2"-13, ZP





Elite Components Cross Reference

Competitor	Minerallac	Description
NUTSHS-0025EG	SNS025EG	Short Spring Nut 1/4"-20, ZP
NUTTS-0025EG	SN025EG	Spring Nut 1/4-20 1/4 THK
NUTWOS-0025EG	CNN025EG	Channel Nut No Spring 1/4"-20, Zinc Plated
NUTWOS-0037EG	CNN037EG	No Spring Nuts For 3/8-16 Rods Are Inserted Inside Strut Channel To Accept 3/8In Threaded Fasteners Or Bolts, ZP
NUTWOS-0050EG	CNN050EG	No Spring Nuts For 1/2-13 Rods Are Inserted Inside Strut Channel To Accept 1/2In Threaded Fasteners Or Bolts.
P09-6350350EG	PBS2H350SQUE G	Post Base Single Channel 2 Hole Square 3-1/2, Zinc Plated
P11SQ-66350EG	PBS4H350SQUE G	Post Base Single Channel, 4 Hole Square 3-1/2, Zinc Plated
RPC-0050EG	CCR050EG	Conduit Strut Clamp Rigid 1/2, Zinc Plated
RPC-0075EG	CCR075EG	Conduit Strut Clamp Rigid 3/4
RPC-0125EG	CCR125EG	Conduit Strut Clamp Rigid 1 1/4
RPC-0200EG	CCR200EG	Conduit Strut Clamp Rigid 2
RPC-0250EG	CCR250EG	Conduit Strut Clamp Rigid 2 1/2
RPC-0300EG	CCR300EG	Conduit Strut Clamp Rigid 3
RPC-0350EG	CCR350EG	Conduit Strut Clamp Rigid 3 1/2
RPC-0400EG	CCR400EG	Conduit Strut Clamp Rigid 4
RPC-0500EG	CCR500EG	Conduit Strut Clamp Rigid 5
TS-16	BMB16T	Telescoping 11-18" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
TS-1624	BMB1624T	Telescoping Box Mounting Bracket, Stud Spacing 15-1/2 To 25 In., For Use With 1-1/2 In. Or 2-1/8 In. Electrical Box, PG
TS-24	BMB24T	Telescoping 17-26" Box Mounting Bracket, For 1-1/2" Or 2-1/8" Deep Electrical Box, PG
UNI-0050EG	CCU050EG	Conduit Strut Clamp Universal 1/2", Zinc Plated
UNI-0075EG	CCU075EG	Conduit Strut Clamp Universal 3/4", Zinc Plated





Elite Components Cross Reference

Competitor	Minerallac	Description
UNI-0100EG	CCU100EG	Conduit Strut Clamp Universal 1", Zinc Plated
UNI-0125EG	CCU125EG	Conduit Strut Clamp Universal 1-1/4", Zinc Plated
UNI-0150EG	CCU150EG	Conduit Strut Clamp Universal 1-1/2", Zinc Plated
UNI-0200EG	CCU200EG	Conduit Strut Clamp Universal 2", Zinc Plated
UOP-0050EG	CCOP50	One Piece Strut Clamp With Saddle, 1/2" EMT, Pre-Galvanized
UOP-0075EG	CCOP75	One Piece Strut Clamp With Saddle, 3/4" EMT and 1/2" RMC, Pre-Galvanized
UOP-0100EG	CCOP100	One Piece Strut Clamp With Saddle, 1" EMT and 3/4" RMC, Pre-Galvanized
UOP-0125EG	CCOP125	One Piece Strut Clamp With Saddle, 1-1/4" EMT and 1" RMC, Pre-Galvanized
UOP-0200EG	CCOP200	One Piece Strut Clamp with Saddle, Fits 2" EMT and 1-1/2" RMC, Pre-Galvanized
UOP-0250EG	CCOP250	One Piece Strut Clamp With Saddle, 2-1/2" EMT and 2-1/2" RMC, Pre-Galvanized
UOP-0300EG	CCOP300	One Piece Strut Clamp With Saddle, 3" EMT and 3" RMC, Pre-Galvanized
UOP-0400EG	CCOP350	One Piece Strut Clamp With Saddle, 3-1/2" EMT and 3-1/2" RMC, Pre-Galvanized

